

# **KEYSTONE GREASELIFT**

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : KEYSTONE GREASELIFT

Other means of identification : Not applicable

Recommended use : Degreaser

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 17.3 %

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 07/30/2015

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1B
Serious eye damage : Category 1

Specific target organ

systemic toxicity - single

exposure

: Category 3 (Respiratory system)

#### **Product AT USE DILUTION**

Eye irritation : Category 2B

# **GHS Label element**

## **Product AS SOLD**

Hazard pictograms





Signal Word : Danger

Hazard Statements : Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements : Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear

protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

915016-01 1 / 11

#### **KEYSTONE GREASELIFT**

feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

#### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/ attention.

**Product AS SOLD** 

Other hazards : None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration (%)
Benzyl alcohol	100-51-6	30 - 60
monoethanolamine	141-43-5	10 - 30
benzenesulfonic acid, dodecyl-, compd. with 2-aminoethanol (1:1)	26836-07-7	10 - 30
2-(2-aminoethoxy)ethanol	929-06-6	1 - 5
D-gluconic acid, compound with 2,2',2"-	42728-79-0	1 - 5

nitrilotrisethanol (1:1)

Product AT USE DILUTION		
Chemical Name	CAS-No.	Concentration (%)
Benzyl alcohol	100-51-6	5 - 10
monoethanolamine	141-43-5	1 - 5
benzenesulfonic acid, dodecyl-, compd. with 2-aminoethanol (1:1)	26836-07-7	1 - 5

# **SECTION 4. FIRST AID MEASURES**

#### **Product AS SOLD**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

915016-01 2 / 11

### **KEYSTONE GREASELIFT**

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx) Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

**Product AS SOLD** 

Personal precautions, : Ensure adequate ventilation. Keep people away from and upwind of

915016-01 3 / 11

#### KEYSTONE GREASELIFT

protective equipment and emergency procedures

spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION** 

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

**Product AS SOLD** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Product AS SOLD Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	AIHA WEEL
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL

915016-01 4 / 11

# **KEYSTONE GREASELIFT**

STEL	6 ppm 15 mg/m3	NIOSH REL
TWA	3 ppm 6 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color : clear, dark orange orange
Odor : slight slight
pH : 10.1 - 10.9, 1 % 10.6

Flash point : 96 °C closed cup, Sustains combustion

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

915016-01 5 / 11

### KEYSTONE GREASELIFT

Evaporation rate : No data available Flammability (solid, gas) : No data available Upper explosion limit : No data available Lower explosion limit : No data available Vapor pressure : No data available : No data available Relative vapor density : 1.046 - 1.066 Relative density

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : 21.820 mm2/s (40 °C)

: No data available Explosive properties

: The substance or mixture is not classified as oxidizing. Oxidizing properties

Molecular weight : No data available VOC : No data available

# **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Potential Health Effects** 

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

915016-01 6/11

#### **KEYSTONE GREASELIFT**

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

# **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### **Toxicity**

**Product AS SOLD** 

Acute oral toxicity : Acute toxicity estimate : 1,127 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 6.56 mg/l

Acute dermal toxicity : Acute toxicity estimate : 2,124 mg/kg

Respiratory or skin : No data available

sensitization

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

915016-01 7 / 11

#### KEYSTONE GREASELIFT

# **SECTION 12. ECOLOGICAL INFORMATION**

**Product AS SOLD** 

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Ingredients

Toxicity to fish : Benzyl alcohol

96 h LC50 Fish: > 100 mg/l

Ingredients

Toxicity to daphnia and other : monoethanolamine

aquatic invertebrates 48 I

48 h EC50 Daphnia: 65 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

**Product AT USE DILUTION** 

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

915016-01 8 / 11

## KEYSTONE GREASELIFT

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 2491

Description of the goods : Ethanolamine solutions

Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2491

Description of the goods : ETHANOLAMINE SOLUTION

Class : 8
Packing group : III
Marine pollutant : no

#### **Product AT USE DILUTION**

Not intended for transport.

#### **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
2,2'-iminodiethanol	111-42-2	100	174520

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

On TSCA Inventory

## Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

915016-01 9 / 11

## KEYSTONE GREASELIFT

#### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

# Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

#### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined

#### China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

# **SECTION 16. OTHER INFORMATION**

#### **Product AS SOLD** NFPA:

Flammability Instability

Special hazard.


## HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

# **Product AT USE DILUTION** NFPA:



#### HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

: 07/30/2015 Issuing date

Version : 1.0

Prepared by : Regulatory Affairs

915016-01 10/11

# **KEYSTONE GREASELIFT**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

915016-01 11 / 11