

Form R04132

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

# PRODUCT NUMBER AND NAME: MARC 187 MANGO MADNESS METERED DEODORIZER

SDS DATE: 10/05/17

SUPPLIER: Mid-American Research Chemical Corp. FAX: 402-563-1290 PHONE: 402-564-7104 EMERGENCY PHONE: InfoTrac 1-800-535-5053 WEBSITE: www.marc1.com E-MAIL: marc@marc1.com

ADDRESS: P. O. Box 927 Columbus, NE 68602-0927

RECOMMENDED USE: Air Freshener.

PREPARED BY: MARC

## **SECTION 2: HAZARDS IDENTIFICATION**

CLASSIFICATION: Flammable Aerosol: Category 1 Liquefied Gas Eye Irritant: Category 2A Skin Irritant: Category 2 Specific Target Organ Toxicity (Single Exposure): Category 3 Skin Sensitization: Category 1

HAZARD STATEMENT(S): DANGER: Extremely Flammable Aerosol. Contains gas under pressure; May explode if heated. Causes skin and serious eve irritation. May cause respiratory irritation, drowsiness or dizziness. May cause an allergic skin reaction. This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If on skin, wash with plenty of water. If skin irritation occurs, get medical advice or attention. Take off contaminated clothing and wash it before reuse. Contaminated

work clothing must not be allowed out of the workplace. Avoid breathing fumes, mist, vapor and spray. Use only outdoors or in a well-ventilated area. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. Dispose of contents and container in accordance with local, state and federal regulations.

PERCENT

40 - 80%

10 - 30%

1 - 5%

SYMBOL:



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGRED	IE	NT		
Acetone			_	

Propane/n-Butane **Proprietary Fragrance** 

CAS NO.	
67-64-1	
68476-86-8	
mixture	

This product contains the following percentage of chemicals of unknown toxicity: 3%

## SECTION 4: FIRST AID MEASURES

EYES: Immediately flush with water for 15 minutes while holding eyelids open. Seek immediate medical attention.

INGESTION: Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical attention

INHALATION: If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. SKIN: Immediately wash with soap and water for 15 minutes. Seek medical attention if irritation persists.

ACUTE HEALTH HAZARDS: Acute, Inhalation of vapors may be narcotic or anesthetic. Ingestion of liquid will cause gastrointestinal distress, irritation, and possibly nausea. Liquid or vapors may be irritating to skin and eves.

CHRONIC HEALTH HAZARDS: May cause damage to the following organs: kidneys, liver, skin, CNS depression.



Form R04132

NOTE TO PHYSICIAN: There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

# **SECTION 5: FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, foam, and water fog.

UNSUITABLE EXTINGUISHING MEDIA: Water spray/stream.

SPECIAL FIRE FIGHTING PROCEDURES:

Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed containers. Shut off all sources of ignition.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Contents under pressure. Keep away from heat, sparks, open flames and hot surfaces. No smoking. Do not spray on open flame or other ignition source.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**EMERGENCY PROCEDURES:** SPILL: Eliminate all sources of ignition. Clean up using a rag or use some non-combustible material like vermiculite, sand or earth. Prevent spill from entering sewers, storm drains, and natural waterways.

#### **PERSONAL PRECAUTIONS/**

PROTECTIVE EQUIPMENT: Use personal protection recommended in Section 8. Keep away from heat, sparks, open flames and hot sure\faces. No smoking. Do not spray on open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not expose to temperatures exceeding 50°C/122°F.

## METHODS AND MATERIALS FOR CONTAINMENT: Same as Emergency Procedures.

## **SECTION 7: HANDLING AND STORAGE**

#### **GENERAL HANDLING/** STORAGE:

Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container: Do not pierce or burn, even after use.

#### **OTHER PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN!! CAREFULLY READ ENTIRE LABEL BEFORE USE!

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Acetone	1000 ppm	500 ppm
Propane/n-Butane	1000 ppm	1000 ppm
Proprietary Fragrance	Not Established	Not Established

ENGINEERING CONTROLS/VENTILATION: Ambient ventilation adequate.

**MECHANICAL:** N/A

No Smoking or Open Flames

OTHER.

limits are exceeded.

**RESPIRATORY PROTECTION:** 

Not required with normal use. Wear NIOSH/MSHA approved respiratory protection if exposure

EYE PROTECTION: Safety glasses.

SKIN PROTECTION/PROTECTIVE GLOVES: Wear suitable gloves. OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Firefighters wear full body protective clothing when fighting fires.



Form R04132

**WORK HYGIENIC PRACTICES:** Handle according to established industrial hygiene and safety practices. Don't eat, drink or smoke in work area. Wash hands after handling and before eating, drinking or smoking.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE-	Clear.
COLOR:	Colorless.
PHYSICAL STATE:	Spray.
ODOR THRESHOLD:	N/D
ODOR:	Mango fragrance.
pH:	N/A
SOLUBILITY IN WATER:	Non-soluble
SPECIFIC GRAVITY: (H20 = 1)	0.78 – 0.81
MELTING/FREEZING POINT:	N/D
BOILING POINT:	N/D
FLASH POINT(METHOD USED:TCC)	<100 F
FLAMMABILITY LIMITS:	Extremely flammable Aerosol.
LOWER FLAMMABILITY LIMIT:	N/A
UPPER FLAMMABILITY LIMIT:	N/A
EVAPORATION RATE:	>3 (Fast)
VAPOR PRESSURE (mmHq):	<180 @ 70°F (21°C)
VAPOR DENSITY:	<2 @ 70°F (21°C)
PARTITION COEFFICIENT,	× ,
n-OCTANOL/WATER:	N/D
AUTO-IGNITION TEMPERATURE:	N/D
DECOMPOSITION TEMPERATURE:	N/D
VISCOSITY:	N/A
	1 1/ / 1

## SECTION 10: STABILITY AND REACTIVITY

CONDITIONS OF REACTIVITY: None known.

**STABILITY:** Stable.

**CONDITIONS TO AVOID:** Temperatures greater than 122°F and sources of ignition.

**INCOMPATIBILITY (MATERIAL TO AVOID):** Strong oxidizing agents, strong reducing agents, some plastics.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Oxides of carbon.

HAZARDOUS POLYMERIZATION/REACTIONS: None known.

# SECTION 11: TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL INFORMATION:

Acetone – 67-64-1 – Oral LD50: Acute: 5800 mg/kg [Rat]. 3000 mg/kg [Mouse]. 5340 mg/kg [Rabbit]. Skin LD50: 20000.0 mg/kg (Rabbits) Inhalation (LC50): 50100 mg/m 8 hours [Rat]. 44000 mg/m 4 hours [Mouse], 21000 ppm (Cats).

ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin

- **EYES**: Causes irritation, may cause conjunctivitis with possible corneal injury.
- SKIN: Causes localized defatting, irritation. May be absorbed through skin with systemic effects.
- **INGESTION:** May cause gastrointestinal irritation, nausea, diarrhea, vomiting, and aspiration hazard.
- **INHALATION**: May cause irritation to the respiratory tract, dizziness, headaches, nausea, unconsciousness, CNS depression.



Form R04132

MEDICAL CONDITIONS AGGRAVATED: Pre-existing conditions of the skin, liver, CNS, and kidneys.

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision.

CHRONIC HEALTH HAZARDS: May cause damage to the following organs: kidneys, liver, skin, CNS depression.

CARCINOGENICITY: OSHA: Not classified. ACGIH: A5 – Not suspected. NTP: N/A IARC: N/A OTHER: N/A

## **SECTION 12: ECOLOGICAL INFORMATION**

ECOLOGICAL INFORMATION: Acetone – 67-64-1 – Ecotoxicity in water (LC50): 5540 mg/l 96 hours [Trout]. 8300 mg/l 96 hours [Bluegill]. 7500 mg/l 96 hours.

**BIODEGRADABILITY:** Component or components of this product are not biodegradable.

**BIOACCUMULATION:** This product is not expected to bioaccumulate.

**SOIL MOBILITY:** This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: None known.

#### SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL INSTRUCTIONS: Dispose of in accordance with local, state and Federal regulations.

RCRA STATUS: Waste likely considered D001, under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

#### SECTION 14: TRANSPORT INFORMATION

 CONTAINER SIZES(S): Aerosol Can (7.25 oz.)

 PROPER SHIPPING NAME: DEODORANTS OR DISINFECTANT

 HAZARD CLASS:
 N/A

 ID NUMBER:
 N/A

 PACKING GROUP:
 N/A

 LABEL STATEMENT:
 LIMITED QUANTITY

### **SECTION 15: REGULATORY INFORMATION**

 FEDERAL REGULATIONS:
 TSCA (TOXIC SUBSTANCE CONTROL ACT):
 All Chemicals are listed or exempt.

 TSCA (TOXIC SUBSTANCE CONTROL ACT):
 All Chemicals are listed or exempt.

 CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):
 Acetone RQ = 5,000 lbs.

 SARA 311/312 HAZARD CATEGORIES:
 Fire Hazard.

 SARA 313 REPORTABLE INGREDIENTS:
 None.

 STATE REGULATIONS:
 California Proposition 65:

 INTERNATIONAL REGULATIONS:
 All components are listed or exempted.

# **SECTION 16: OTHER INFORMATION**

HMIS/NFPA Ratings: Health = 1 Flammability = 3 Reactivity = 0 Other = -Protection = A

REVISION DATE: 10/05/17

DISCLAIMER: While the information contained herein is believed to be correct, no warranties are made with respect thereto, and all liability from reliance thereon is disclaimed.