

Version 2.0

Revision Date 11/09/2017

Print Date 04/25/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Country Vet Metered Insecticide Fly Spray			
EPA ID Number:		10807-467			
Material number	:	342050CVA			
Manufacturer or supplier's details					
Company	:	Amrep, Inc.			
Address	:	990 Industrial Park Drive Marietta, GA 30062			
Telephone	:	404-352-1680			

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Pesticide

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	mild, pleasant

GHS Classification

Flammable aerosols Gases under pressure Aspiration hazard	: Category 2 : Liquefied gas : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.
Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames



Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
	and other ignition sources. No sn P211 Do not spray on an open fla P251 Pressurized container: Do n use. Response: P301 + P310 IF SWALLOWED: I CENTER/doctor. P331 Do NOT induce vomiting. Storage: P410 + P412 Protect from sunligi temperatures exceeding 50 °C/ 1 Disposal: P501 Dispose of contents/ contait disposal plant.	ame or other ignition source. not pierce or burn, even after Immediately call a POISON ht. Do not expose to 22 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
1,1-difluoroethane	75-37-6	>= 30 - < 50
butane	106-97-8	>= 10 - < 20
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3- dicarboximide	113-48-4	>= 1 - < 5
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 1 - < 5
Pyrethrins and Pyrethroids	8003-34-7	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
If inhaled	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse. Remove contaminated clothing and shoes.
In case of eye contact	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.



Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to ar If symptoms persist, call a physician DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital	n. rected to do so by a
Most important symptoms and effects, both acute and delayed	: Effects may be delayed, symptoms skin irritation. Aspiration may cause pulmonary of Overexposure may cause mild eye May be fatal if swallowed and enter Review section 2 of SDS to see all	edema and pneumonitis. or skin irritation. s airways.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	:	Use personal protective equipment.
protective equipment and		Ensure adequate ventilation.



Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
emergency procedures	Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to concentrations. Vapours can accum	
Environmental precautions	: Prevent product from entering drain Prevent further leakage or spillage If the product contaminates rivers a respective authorities.	if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mater acid binder, universal binder, sawdu Sweep up or vacuum up spillage ar container for disposal.	ust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from bases and alkalies. Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1

Components with workplace control parameters



Image: Second system TWA (Mist) 5 mg/m3 NIOSH f ST (Mist) 10 mg/m3 NIOSH f ST (Mist) 10 mg/m3 NIOSH f PEL 5 mg/m3 CAL PEI (particulate) 1,000 ppm US WEE butane 106-97-8 TWA 800 ppm NIOSH f 1,900 mg/m3 1,900 mg/m3 OSHA P 1,900 mg/m3 OSHA P 1,900 mg/m3 TWA 800 ppm OSHA P 1,900 mg/m3 Engineering measures : effective ventilation in all processing areas Personal protective equipment Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Hand protection : Protective gloves Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : Impervious clothing Choose body protection according to the amount and	ersion 2.0	Revision	Date 11/09/2017	Print	Date 04/25/2018
ST (Mist) 10 mg/m3 NIOSH I PEL 5 mg/m3 CAL PEI (particulate) 1,000 ppm US WEE butane 106-97-8 TWA 1,000 ppm NIOSH I 1,1-difluoroethane 75-37-6 TWA 1,000 ppm NIOSH I butane 106-97-8 TWA 800 ppm NIOSH P 1,900 mg/m3 NIOSH P 1,900 mg/m3 OSHA P 1,900 mg/m3 Engineering measures : effective ventilation in all processing areas Personal protective equipment Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Hand protection : Use respiratory protection workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place Hygiene measures : When using do not eat or drink.					OSHA P0
PEL (particulate) 5 mg/m3 CAL PEI (particulate) 1,1-difluoroethane 75-37-6 TWA 1,000 ppm US WEE butane butane 106-97-8 TWA 800 ppm NIOSH f 1,900 mg/m3 TWA 800 ppm OSHA P 1,900 mg/m3 TWA 800 ppm OSHA P 1,900 mg/m3 PEL 800 ppm CAL PEI 1,900 mg/m3 PEL 800 ppm CAL PEI 1,900 mg/m3 PEL 800 ppm CAL PEI 1,900 mg/m3 Instructure Instructure Instructure Engineering measures : effective ventilation in all processing areas Personal protective equipment Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Hand protection : Protective gloves : Remarks : Protective gloves : Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses : <t< td=""><td></td><td></td><td></td><td>5 mg/m3</td><td>NIOSH REL</td></t<>				5 mg/m3	NIOSH REL
(particulate) (particulate) 1,1-difluoroethane 75-37-6 TWA 1,000 ppm US WEE butane 106-97-8 TWA 800 ppm NIOSH f 1,900 mg/m3 1,900 mg/m3 OSHA P 1,900 mg/m3 OSHA P 1,900 mg/m3 FEL 800 ppm OSHA P 1,900 mg/m3 CAL PEI Engineering measures : effective ventilation in all processing areas CAL PEI 800 ppm CAL PEI Hand protective equipment : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Hand protection : Protective gloves State and the producers of the protective gloves. Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : Skin and body protection : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work plac Hygiene measures : When using do not eat or drink. When usi			ST (Mist)	10 mg/m3	NIOSH REL
1,1-difluoroethane 75-37-6 TWA 1,000 ppm US WEEE butane 106-97-8 TWA 800 ppm NIOSH f Image: Constraint of the second se				5 mg/m3	CAL PEL
butane 106-97-8 TWA 800 ppm NIOSH i 1,900 mg/m3 OSHA P 1,900 mg/m3 OSHA P 1,900 mg/m3 PEL 800 ppm OSHA P 1,900 mg/m3 CAL PEI 1,900 mg/m3 CAL PEI 1,900 mg/m3 CAL PEI 1,900 mg/m3 CAL PEI Engineering measures : effective ventilation in all processing areas Personal protective equipment : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Hand protection : Protective gloves Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work plac Hygiene measures : When using do not eat or drink. When using do not smoke.					
Image:	•				US WEEL
Image: Second state of the protection state of the state of the protection according to the amount and concentration of the dangerous substance at the work place state of the protection of the dangerous substance at the work place of the protection state of the protection of the dangerous substance at the work place of the protection state of the protection	butane	106-97-8		1,900 mg/m3	NIOSH REI
Engineering measures : effective ventilation in all processing areas Personal protective equipment Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Hand protection : Protective gloves Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place Hygiene measures : When using do not eat or drink. When using do not smoke.			TWA		OSHA P0
Personal protective equipment Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstration that exposures are within recommended exposure guideline Hand protection : Protective gloves Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place Hygiene measures : When using do not eat or drink. When using do not smoke.			PEL		CAL PEL
Material Remarks: Protective gloves : The suitability for a specific workplace should be discussed with the producers of the protective gloves.Eye protection: Safety glassesSkin and body protection: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work placeHygiene measures: When using do not eat or drink. When using do not smoke.	Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.			
Skin and body protection : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work plac Hygiene measures : When using do not eat or drink. When using do not smoke.	Material	: The suita	: The suitability for a specific workplace should be discussed		
Choose body protection according to the amount and concentration of the dangerous substance at the work plac Hygiene measures : When using do not eat or drink. When using do not smoke.	Eye protection	: Safety gla	Safety glasses		
When using do not smoke.	Skin and body protection	Choose b			
	Hygiene measures	When usi	When using do not smoke.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

: Aerosol containing a liquefied gas
: colourless
: mild, pleasant
: No data available
: Not applicable
: No data available
: No data available
:
Not applicable
: No data available

SAFETY DATA SHEET



CV METERED INSECT FLY SPR

Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.84 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	: Acids Bases Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects may be delayed, symptoms may include minor eye or skin irritation.



Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
	Aspiration may cause pulmonary o	edema and pneumonitis.
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC. No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	e, possible or confirmed t at levels greater than or
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
OSHA	No component of this product present equal to 0.1% is on OSHA's list of reg No component of this product present	gulated carcinogens. t at levels greater than or
NTP	equal to 0.1% is on OSHA's list of reg No component of this product present equal to 0.1% is identified as a known by NTP. No component of this product present equal to 0.1% is identified as a known by NTP.	t at levels greater than or n or anticipated carcinogen t at levels greater than or
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 m Method: Calculation method	ıg/kg
Acute inhalation toxicity	: Acute toxicity estimate : 17.09 mg/ Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	1
Acute dermal toxicity	: Acute toxicity estimate : 4,039 mg/ Method: Calculation method	/kg
Components:		
Distillates (petroleum), hyd	Irotreated light:	
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h	
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg	
1,1-difluoroethane: Acute inhalation toxicity	: LC50 Mouse: 977,000 mg/l Exposure time: 2 h	

N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide:



Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
Acute oral toxicity	: LD50 Oral Rat: 2,800 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 470 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritat	ion	
Product:		
Remarks: May irritate eyes.		
Respiratory or skin sensitisation	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
Product:		
May be fatal if swallowed	and enters airways.	
Further information		
Product:		
Remarks: No data availat	ble	
<u>Components:</u> Distillates (petroleum), hy Remarks: No data availat		



Version 2.0

Revision Date 11/09/2017

Print Date 04/25/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

1100		
octa	nol/water ponents:	Remarks: No data available
	ition coefficient: n- : nol/water	Pow: 2.89
Mobility	n soil	
No data a	vailable	
Other ad	verse effects	
No data a <u>Proc</u>		
Re	gulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Rer	narks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B). Additional ecological : No data available information

Components:

Distillates (petroleum), hydrotreated light :

Additional ecological	: No data available
information	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.



Version 2.0

Revision Date 11/09/2017

Print Date 04/25/2018

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION Harmful if swallowed. Harmful if absorbed through skin.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This pesticide is toxic to fish and aquatic invertebrates.

Observe label precautions.

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.



Version 2.0	Revision Date 11/09/2017	Print Date 04/25/2018
SARA 304 Extremely Haza	ardous Substances Reportable Quant	lity
This material does not cont	ain any components with a section 304 I	EHS RQ.
SARA 311/312 Hazards	: Flammable (gases, aerosols, liquid Gases under pressure Aspiration hazard	ds, or solids)
SARA 302	: No chemicals in this material are s requirements of SARA Title III, Sec	
SARA 313	: The following components are sub established by SARA Title III, Sect 2-(2-butoxyethoxy)ethyl 6- propylpiperonyl ether	
California Prop. 65		
	WARNING: This product can ex including 4-allylveratrole, which California to cause cancer. For r www.P65Warnings.ca.gov.	is/are known to the State of

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 2.0

Revision Date 11/09/2017

Print Date 04/25/2018

Further information



OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	 Flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways.
Precautionary statements	:
,	Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
	Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
	Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	Disposal: Dispose of contents/ container to an approved waste disposal plant.

Version:	2.0
Revision Date:	11/09/2017
Print Date:	04/25/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.



Version 2.0

Revision Date 11/09/2017

Print Date 04/25/2018