



February 14, 2008

Hutchinson Public Schools
C/O: Brian Mohr
30 Glen St N W
Hutchinson MN 55350

Subject: Bleacher Certification of Compliance - Compliance Label Enclosed
Location: City of Hutchinson
Name of Facility: Hutchinson Public Schools
Room or Field Where Installed: H S Football Field
Bleacher Number: BL2378

Dear Bleacher Contact:

This is to inform you that we are in receipt of the completed Certification of Compliance form you submitted to this office. In order to aid in identifying your bleacher as having been certified, we have enclosed a self-adhesive identifying label for the Certification of Compliance that you submitted. We recommend you apply this label to the bleacher in a location visible from the front, preferably near one side and 4 to 6 feet above floor or grade. Note: A Certification of Compliance is considered void if it was completed in error and the bleacher was in violation of the Minnesota Bleacher Act, or the Bleacher otherwise becomes non-complying due to a change in the structure. This certification must be renewed every five (5) years.

BUILDING CODES AND STANDARDS DIVISION

Sincerely,

Scott D. McLellan, Supervisor
Plan Review & Regional Services

Enc: Compliance Label

443 Lafayette Road N.
St. Paul, Minnesota 55155
www.dolj.state.mn.us



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

(651) 284-5005
1-800-DIAL-DLI
TTY: (651) 297-4198

February 14, 2008

Hutchinson Schools
C/O: Brian Mohr
30 Glen Street NW
Hutchinson MN 55350

Subject: Bleacher Certification of Compliance - Compliance Label Enclosed
Location: City of Hutchinson
Name of Facility: Hutchinson Schools
Room or Field Where Installed: H S football field #1 - #2
Bleacher Number: BL2379

Dear Bleacher Contact:

This is to inform you that we are in receipt of the completed Certification of Compliance form you submitted to this office. In order to aid in identifying your bleacher as having been certified, we have enclosed a self-adhesive identifying label for the Certification of Compliance that you submitted. We recommend you apply this label to the bleacher in a location visible from the front, preferably near one side and 4 to 6 feet above floor or grade. Note: A Certification of Compliance is considered void if it was completed in error and the bleacher was in violation of the Minnesota Bleacher Act, or the Bleacher otherwise becomes non-complying due to a change in the structure. This certification must be renewed every five (5) years.

BUILDING CODES AND STANDARDS DIVISION

Sincerely,

A handwritten signature in black ink that reads "Scott D. McLellan".

Scott D. McLellan, Supervisor
Plan Review & Regional Services

Enc: Compliance Label



February 14, 2008

Hutchinson Public School
C/O: Brian Mohr
30 Glen Street N W
Hutchinson MN 55350

Subject: Bleacher Certification of Compliance - Compliance Label Enclosed
Location: City of Hutchinson
Name of Facility: Hutchinson Public School
Room or Field Where Installed: H S Gym
Bleacher Number: BL2377

Dear Bleacher Contact:

This is to inform you that we are in receipt of the completed Certification of Compliance form you submitted to this office. In order to aid in identifying your bleacher as having been certified, we have enclosed a self-adhesive identifying label for the Certification of Compliance that you submitted. We recommend you apply this label to the bleacher in a location visible from the front, preferably near one side and 4 to 6 feet above floor or grade. Note: A Certification of Compliance is considered void if it was completed in error and the bleacher was in violation of the Minnesota Bleacher Act, or the Bleacher otherwise becomes non-complying due to a change in the structure. This certification must be renewed every five (5) years.

BUILDING CODES AND STANDARDS DIVISION

Sincerely,

A handwritten signature in black ink that reads "Scott D. McLellan".

Scott D. McLellan, Supervisor
Plan Review & Regional Services

Enc: Compliance Label



February 14, 2008

Hutchinson Public Schools
C/O: Brian Mohr
30 Glen Street N W
Hutchinson MN 55350

Subject: Bleacher Certification of Compliance - Compliance Label Enclosed
Location: City of Hutchinson
Name of Facility: Hutchinson Public Schools
Room or Field Where Installed: Middle School - Pool
Bleacher Number: BL2375

Dear Bleacher Contact:

This is to inform you that we are in receipt of the completed Certification of Compliance form you submitted to this office. In order to aid in identifying your bleacher as having been certified, we have enclosed a self-adhesive identifying label for the Certification of Compliance that you submitted. We recommend you apply this label to the bleacher in a location visible from the front, preferably near one side and 4 to 6 feet above floor or grade. Note: A Certification of Compliance is considered void if it was completed in error and the bleacher was in violation of the Minnesota Bleacher Act, or the Bleacher otherwise becomes non-complying due to a change in the structure. This certification must be renewed every five (5) years.

BUILDING CODES AND STANDARDS DIVISION

Sincerely,

A handwritten signature in black ink that reads "Scott D. McLellan".

Scott D. McLellan, Supervisor
Plan Review & Regional Services

Enc: Compliance Label



February 14, 2008

Hutchinson Public School
C/O: Brian Mohr
30 Glen Street
Hutchinson MN 55350

Subject: Bleacher Certification of Compliance - Compliance Label Enclosed
Location: City of Hutchinson
Name of Facility: Hutchinson Public School
Room or Field Where Installed: Swimming Pool
Bleacher Number: BL2376

Dear Bleacher Contact:

This is to inform you that we are in receipt of the completed Certification of Compliance form you submitted to this office. In order to aid in identifying your bleacher as having been certified, we have enclosed a self-adhesive identifying label for the Certification of Compliance that you submitted. We recommend you apply this label to the bleacher in a location visible from the front, preferably near one side and 4 to 6 feet above floor or grade. Note: A Certification of Compliance is considered void if it was completed in error and the bleacher was in violation of the Minnesota Bleacher Act, or the Bleacher otherwise becomes non-complying due to a change in the structure. This certification must be renewed every five (5) years.

BUILDING CODES AND STANDARDS DIVISION

Sincerely,

A handwritten signature in black ink that reads "Scott D. McLellan".

Scott D. McLellan, Supervisor
Plan Review & Regional Services

Enc: Compliance Label



February 14, 2008

Hutchinson Schools
C/O: Brian Mohr
30 Glen Street
Hutchinson MN 55350

Subject: Bleacher Certification of Compliance - Compliance Label Enclosed
Location: City of Hutchinson
Name of Facility: Hutchinson Schools
Room or Field Where Installed: Middle School Gym
Bleacher Number: BL2380

Dear Bleacher Contact:

This is to inform you that we are in receipt of the completed Certification of Compliance form you submitted to this office. In order to aid in identifying your bleacher as having been certified, we have enclosed a self-adhesive identifying label for the Certification of Compliance that you submitted. We recommend you apply this label to the bleacher in a location visible from the front, preferably near one side and 4 to 6 feet above floor or grade. Note: A Certification of Compliance is considered void if it was completed in error and the bleacher was in violation of the Minnesota Bleacher Act, or the Bleacher otherwise becomes non-complying due to a change in the structure. This certification must be renewed every five (5) years.

BUILDING CODES AND STANDARDS DIVISION

Sincerely,

A handwritten signature in black ink that reads "Scott D. McLellan".

Scott D. McLellan, Supervisor
Plan Review & Regional Services

Enc: Compliance Label

Hutchinson Public Schools
30 Gle Street
Hutchinson, MN 55350

September 27, 2007

Building Codes & Standards Division
408 Metro Square Building
121 7th Place East
St. Paul, MN 55101-2181

Dear Sir or Madam:

This letter is given in response to requirements of Minnesota Statue 16B.616, Bleacher Safety Act. As Director of Buildings and Grounds for Hutchinson Public Schools located at Hutchinson, Minnesota I have reviewed our public bleachers for the following criteria:

1. Openings in railings to be 4 inches or less,
2. Guard rails provided at over 55 inches in height,
3. The bleacher footboards and guardrails have been inspected and if required repaired,
4. The equipment is free of rust, rot, cracks, or splinters,
5. There are no broken or missing components on the equipment.

The bleachers are currently in good condition and have been maintained in a high state of repair.

If you would have questions you may contact the Hutchinson School District at 320-234-2609.

Sincerely,

Brian Mohr
Director of Buildings and Grounds

Return completed certificate to:
 Minnesota Department of Labor and Industry
 Construction Codes and Licensing Division
 Building Plan Review/Inspections
 443 Lafayette Road North
 St. Paul, MN 55155-4341
 Phone: (651) 284-5068 Fax: (651) 284-5749
 www.doli.state.mn.us/buildingcodes
 TTY: (651) 297-4198



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

**Minnesota Bleacher Safety Act
 Certificate of Compliance**

Office Use Only	
Facility Type _____	
Bleacher Number _____	

In accordance with Minnesota Statutes 16B.616, Bleacher Safety, this certification is required to be completed for **each applicable** bleacher structure and submitted to the Commissioner. **Note:** This certificate is not required for bleachers 55 inches above grade and lower without guardrails.

Name of facility where bleachers are located

Hutchinson Public Schools

Location of bleacher (GEO Unit) city or township

City

Room or field where installed

HS Football Field

Set # (e.g. 1 of 4)

1

Description of bleacher

Indoors Outdoors

Length 122' Height 212" No. of rows 16

Materials: Foot/seatboards

aluminum

Understructure

aluminum

The open space between bleacher footboards, seats, and guardrails do not exceed: Four (4) inches Initial _____

9 inches between footboards and seats if retractable bleachers in existence as of January 1, 2001..... *Initial _____

9 inches between footboards and seats if bleachers used in state or private colleges or universities Initial _____

• If approved safety nets are installed instead, initial here _____ Detail on attached sheet(s) description of nets. Include type of net material used and how fastened. Digital photo would be helpful.

*Entities utilizing the nine (9) inch exemption as permitted above must have on file a bleacher safety management plan and amortization schedule.

Bleachers have vertical perimeter guardrails with no more than 4-inch spacing between rails Initial _____

• If 2" nominal chain link fencing of at least 11 gauge is used in guardrail system instead Initial _____

• If other approved guardrails are used that address climbability and are designed to prevent accidents Initial _____

Detail on attached sheet(s) a description of this "other approved guardrail" used that addresses climbability. Include type of material and how fastened. Digital photo would be helpful.

The bleachers are structurally sound Initial _____

(i.e., no broken, badly deteriorated or disconnected brackets, no rotten or missing boards)

Contact person/Agent for Owner

Phone

Mailing address (to receive labels and notices)

City

State

Zip Code

I hereby certify that the information above is correct to the best of my knowledge and that I am a Minnesota Certified Building Official (cert. # or N/A _____), Minnesota Licensed Design Professional (license # or N/A _____), or the designee responsible for buildings and grounds for the school district or nonpublic school (_____ or N/A _____).

Check one: This is a new certification This is a renewal of an existing certification

PRINTED NAME

PHONE

SIGNATURE

DATE

This material can be made available in different forms, such as large print, Braille or on a tape. To request, call 1-800-342-5354 (DIAL-DLI) Voice TDD (651) 297-4198.

Return completed certificate to:
 Minnesota Department of Labor and Industry
 Construction Codes and Licensing Division
 Building Plan Review/Inspections
 443 Lafayette Road North
 St. Paul, MN 55155-4341
 Phone: (651) 284-5068 Fax: (651) 284-5749
 www.doli.state.mn.us/buildingcodes
 TTY: (651) 297-4198



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

Minnesota Bleacher Safety Act Certificate of Compliance

Office Use Only
 Facility Type _____
 Bleacher Number _____

In accordance with Minnesota Statutes 16B.616, Bleacher Safety, this certification is required to be completed for **each applicable** bleacher structure and submitted to the Commissioner. **Note:** This certificate is **not required** for bleachers 55 inches above grade and lower without guardrails.

Name of facility where bleachers are located

Hutchinson Public Schools

Location of bleacher (GEO Unit) city or township

City

Room or field where installed

HS Gymnasium

Set # (e.g. 1 of 4)

#1 - #4

Description of bleacher

Indoors Outdoors

Length 44'6"

Height 108"

No. of rows 10

Materials: Foot/seatboards

Plywood / plastic

Understructure

Angle iron

The open space between bleacher footboards, seats, and guardrails do not exceed: Four (4) inches..... Initial _____

9 inches between footboards and seats if retractable bleachers in existence as of January 1, 2001..... *Initial _____

9 inches between footboards and seats if bleachers used in state or private colleges or universities Initial _____

- If approved safety nets are installed instead, initial here N/A Detail on attached sheet(s) description of nets. Include type of net material used and how fastened. Digital photo would be helpful.

*Entities utilizing the nine (9) inch exemption as permitted above must have on file a bleacher safety management plan and amortization schedule.

Bleachers have vertical perimeter guardrails with no more than 4-inch spacing between rails Initial _____

- If 2" nominal chain link fencing of at least 11 gauge is used in guardrail system instead Initial _____

- If other approved guardrails are used that address climbability and are designed to prevent accidents Initial _____

Detail on attached sheet(s) a description of this "other approved guardrail" used that addresses climbability. Include type of material and how fastened. Digital phone would be helpful.

The bleachers are structurally sound Initial _____

(i.e., no broken, badly deteriorated or disconnected brackets, no rotten or missing boards)

Contact person/Agent for Owner

Phone

Mailing address (to receive labels and notices)

City

State

Zip Code

I hereby certify that the information above is correct to the best of my knowledge and that I am a Minnesota Certified Building Official (cert. # or N/A _____), Minnesota Licensed Design Professional (license # or N/A _____), or the designee responsible for buildings and grounds for the school district or nonpublic school (_____ or N/A _____).

Check one: This is a new certification This is a renewal of an existing certification

PRINTED NAME

PHONE

SIGNATURE

DATE

This material can be made available in different forms, such as large print, Braille or on a tape. To request, call 1-800-342-5354 (DIAL-DLI) Voice TDD (651) 297-4198.

Return completed certificate to:
 Minnesota Department of Labor and Industry
 Construction Codes and Licensing Division
 Building Plan Review/Inspections
 443 Lafayette Road North
 St. Paul, MN 55155-4341
 Phone: (651) 284-5068 Fax: (651) 284-5749
 www.doli.state.mn.us/buildingcodes
 TTY: (651) 297-4198



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

**Minnesota Bleacher Safety Act
 Certificate of Compliance**

Office Use Only
 Facility Type _____
 Bleacher Number _____

In accordance with Minnesota Statutes 16B.616, Bleacher Safety, this certification is required to be completed for **each applicable** bleacher structure and submitted to the Commissioner. **Note:** This certificate is **not required** for bleachers 55 inches above grade and lower without guardrails.

Name of facility where bleachers are located

Hutchinson Public Schools

Location of bleacher (GEO Unit) city or township

City

Room or field where installed

HS Football Field

Set # (e.g. 1 of 4)

#1-#2

Description of bleacher

Indoors Outdoors

Length 34'6"

Height 78"

No. of rows 9

Materials: Foot/seatboards

a1/a1

Understructure

Aluminum

The open space between bleacher footboards, seats, and guardrails do not exceed: Four (4) inches..... Initial _____

9 inches between footboards and seats if retractable bleachers in existence as of January 1, 2001..... *Initial _____

9 inches between footboards and seats if bleachers used in state or private colleges or universities Initial _____

• If approved safety nets are installed instead, initial here _____ Detail on attached sheet(s) description of nets. Include type of net material used and how fastened. Digital photo would be helpful.

*Entities utilizing the nine (9) inch exemption as permitted above must have on file a bleacher safety management plan and amortization schedule.

Bleachers have vertical perimeter guardrails with no more than 4-inch spacing between rails Initial _____

• If 2" nominal chain link fencing of at least 11 gauge is used in guardrail system instead Initial _____

• If other approved guardrails are used that address climbability and are designed to prevent accidents Initial _____

Detail on attached sheet(s) a description of this "other approved guardrail" used that addresses climbability. Include type of material and how fastened. Digital photo would be helpful.

The bleachers are structurally sound Initial _____

(i.e., no broken, badly deteriorated or disconnected brackets, no rotten or missing boards)

Contact person/Agent for Owner

Phone

Mailing address (to receive labels and notices)

City

State

Zip Code

I hereby certify that the information above is correct to the best of my knowledge and that I am a Minnesota Certified Building Official (cert. # or N/A _____), Minnesota Licensed Design Professional (license # or N/A _____), or the designee responsible for buildings and grounds for the school district or nonpublic school (_____ or N/A _____).

Check one: This is a new certification This is a renewal of an existing certification

PRINTED NAME

PHONE

SIGNATURE

DATE

This material can be made available in different forms, such as large print, Braille or on a tape. To request, call 1-800-342-5354 (DIAL-DLI) Voice TDD (651) 297-4198.

Return completed certificate to:
 Minnesota Department of Labor and Industry
 Construction Codes and Licensing Division
 Building Plan Review/Inspections
 443 Lafayette Road North
 St. Paul, MN 55155-4341
 Phone: (651) 284-5068 Fax: (651) 284-5749
 www.doli.state.mn.us/buildingcodes
 TTY: (651) 297-4198



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

**Minnesota Bleacher Safety Act
 Certificate of Compliance**

Office Use Only	
Facility Type	_____
Bleacher Number	_____

In accordance with Minnesota Statutes 16B.616, Bleacher Safety, this certification is required to be completed for **each applicable** bleacher structure and submitted to the Commissioner. **Note:** This certificate is **not required** for bleachers 55 inches above grade and lower without guardrails.

Name of facility where bleachers are located

Hutchinson Public Schools

Location of bleacher (GEO Unit) city or township

City

Room or field where installed

Swimming pool

Set # (e.g. 1 of 4)

1

Description of bleacher

Indoors Outdoors

Length

75'

Height 72"

No. of rows 4

Materials: Foot/seatboards

Concrete / Wood

Understructure

Concrete

The open space between bleacher footboards, seats, and guardrails do not exceed: Four (4) inches..... Initial _____

9 inches between footboards and seats if retractable bleachers in existence as of January 1, 2001..... *Initial _____

9 inches between footboards and seats if bleachers used in state or private colleges or universities Initial _____

• If approved safety nets are installed instead, initial here _____ Detail on attached sheet(s) description of nets. Include type of net material used and how fastened. Digital photo would be helpful.

*Entities utilizing the nine (9) inch exemption as permitted above must have on file a bleacher safety management plan and amortization schedule.

Bleachers have vertical perimeter guardrails with no more than 4-inch spacing between rails Initial _____

• If 2" nominal chain link fencing of at least 11 gauge is used in guardrail system instead Initial _____

• If other approved guardrails are used that address climbability and are designed to prevent accidents Initial _____

Detail on attached sheet(s) a description of this "other approved guardrail" used that addresses climbability. Include type of material and how fastened. Digital photo would be helpful.

The bleachers are structurally sound Initial _____

(i.e., no broken, badly deteriorated or disconnected brackets, no rotten or missing boards)

Contact person/Agent for Owner

Phone

Mailing address (to receive labels and notices)

City

State

Zip Code

I hereby certify that the information above is correct to the best of my knowledge and that I am a Minnesota Certified Building Official (cert. # or N/A _____), Minnesota Licensed Design Professional (license # or N/A _____), or the designee responsible for buildings and grounds for the school district or nonpublic school (_____ or N/A _____).

Check one: This is a new certification This is a renewal of an existing certification

PRINTED NAME

PHONE

SIGNATURE

DATE

This material can be made available in different forms, such as large print, Braille or on a tape. To request, call 1-800-342-5354 (DIAL-DLI) Voice or TDD (651) 297-4198.

Return completed certificate to:
 Minnesota Department of Labor and Industry
 Construction Codes and Licensing Division
 Building Plan Review/Inspections
 443 Lafayette Road North
 St. Paul, MN 55155-4341
 Phone: (651) 284-5068 Fax: (651) 284-5749
 www.doli.state.mn.us/buildingcodes
 TTY: (651) 297-4198



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

**Minnesota Bleacher Safety Act
 Certificate of Compliance**

Office Use Only
 Facility Type _____
 Bleacher Number _____

In accordance with Minnesota Statutes 16B.616, Bleacher Safety, this certification is required to be completed for **each applicable** bleacher structure and submitted to the Commissioner. **Note:** This certificate is not required for bleachers 55 inches above grade and lower without guardrails.

Name of facility where bleachers are located

Hutchinson Public S

Location of bleacher (GEO Unit) city or township

City

Room or field where installed

Middle School Gym

Set # (e.g. 1 of 4)

#1-4

Description of bleacher

Indoors Outdoors

Length 2X15'12" Height 75"

No. of rows 7

Materials: Foot/seatboards

Plywood/Polymer

Understructure

Concrete

The open space between bleacher footboards, seats, and guardrails do not exceed: Four (4) inches..... Initial _____

9 inches between footboards and seats if retractable bleachers in existence as of January 1, 2001..... *Initial _____

9 inches between footboards and seats if bleachers used in state or private colleges or universities Initial _____

• If approved safety nets are installed instead, initial here _____ Detail on attached sheet(s) description of nets. Include type of net material used and how fastened. Digital photo would be helpful.

*Entities utilizing the nine (9) inch exemption as permitted above must have on file a bleacher safety management plan and amortization schedule.

Bleachers have vertical perimeter guardrails with no more than 4-inch spacing between rails Initial _____

• If 2" nominal chain link fencing of at least 11 gauge is used in guardrail system instead Initial _____

• If other approved guardrails are used that address climbability and are designed to prevent accidents Initial _____

Detail on attached sheet(s) a description of this "other approved guardrail" used that addresses climbability. Include type of material and how fastened. Digital photo would be helpful.

The bleachers are structurally sound Initial _____

(i.e., no broken, badly deteriorated or disconnected brackets, no rotten or missing boards)

Contact person/Agent for Owner

Phone

Mailing address (to receive labels and notices)

City

State

Zip Code

I hereby certify that the information above is correct to the best of my knowledge and that I am a Minnesota Certified Building Official (cert. # or N/A _____), Minnesota Licensed Design Professional (license # or N/A _____), or the designee responsible for buildings and grounds for the school district or nonpublic school (_____ or N/A _____).

Check one: This is a new certification This is a renewal of an existing certification

PRINTED NAME

PHONE

SIGNATURE

DATE

This material can be made available in different forms, such as large print, Braille or on a tape. To request, call 1-800-342-5354 (DIAL-DLI) Voice or TDD (651) 297-4198.

Return completed certificate to:
 Minnesota Department of Labor and Industry
 Construction Codes and Licensing Division
 Building Plan Review/Inspections
 443 Lafayette Road North
 St. Paul, MN 55155-4341
 Phone: (651) 284-5068 Fax: (651) 284-5749
 www.doli.state.mn.us/buildingcodes
 TTY: (651) 297-4198



MINNESOTA DEPARTMENT OF
LABOR & INDUSTRY

Minnesota Bleacher Safety Act Certificate of Compliance

Office Use Only
 Facility Type _____
 Bleacher Number _____

In accordance with Minnesota Statutes 16B.616, Bleacher Safety, this certification is required to be completed for **each applicable** bleacher structure and submitted to the Commissioner. **Note:** This certificate is not required for bleachers 55 inches above grade and lower without guardrails.

Name of facility where bleachers are located

Hutchinson Public Schools

Location of bleacher (GEO Unit) city or township

City

Room or field where installed

Middle School Pool

Set # (e.g. 1 of 4)

1

Description of bleacher

Indoors Outdoors

Length

48'

Height

120"

No. of rows

11

Materials: Foot/seatboards

Concrete/aluminum

Understructure

Concrete

The open space between bleacher footboards, seats, and guardrails do not exceed: Four (4) inches..... Initial _____

9 inches between footboards and seats if retractable bleachers in existence as of January 1, 2001..... *Initial _____

9 inches between footboards and seats if bleachers used in state or private colleges or universities Initial _____

- If approved safety nets are installed instead, initial here _____ Detail on attached sheet(s) description of nets. Include type of net material used and how fastened. Digital photo would be helpful.

*Entities utilizing the nine (9) inch exemption as permitted above must have on file a bleacher safety management plan and amortization schedule.

Bleachers have vertical perimeter guardrails with no more than 4-inch spacing between rails Initial _____

- If 2" nominal chain link fencing of at least 11 gauge is used in guardrail system instead Initial _____

- If other approved guardrails are used that address climbability and are designed to prevent accidents Initial _____

Detail on attached sheet(s) a description of this "other approved guardrail" used that addresses climbability. Include type of material and how fastened. Digital phone would be helpful.

The bleachers are structurally sound Initial _____

(i.e., no broken, badly deteriorated or disconnected brackets, no rotten or missing boards)

Contact person/Agent for Owner

Phone

Mailing address (to receive labels and notices)

City

State

Zip Code

I hereby certify that the information above is correct to the best of my knowledge and that I am a Minnesota Certified Building Official (cert. # or N/A _____), Minnesota Licensed Design Professional (license # or N/A _____), or the designee responsible for buildings and grounds for the school district or nonpublic school (_____ or N/A _____).

Check one: This is a new certification This is a renewal of an existing certification

PRINTED NAME

PHONE

SIGNATURE

DATE

This material can be made available in different forms, such as large print, Braille or on a tape. To request, call 1-800-342-5354 (DIAL-DLI) Voice or TDD (651) 297-4198.