

Tier II Emergency and Hazardous Chemical Inventory

Reporting Period From January 1, 2018 to December 31, 2018

Annual Update Revised Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details	
ERC ID:	530050013	LEPC:		Name:	ADRIAN PUBLIC SCHOOL
Facility Name:	ADRIAN PUBLIC SCHOOL	Lat/Long:	43.632853/-95.936089	Address:	415 Kentucky Ave Adrian, MN 56110, United States
Maximum Occupants:	400	Nature of Business:	Public School	Phone:	507-483-2266 Email: r.bullerman@isd511.net
Physical Location:	415 KENTUCKY, Adrian, MN 56110	NAICS Code:	611110	Parent Company Details	
County:	Nobles	SIC Code:	8211	Name:	
Fire Department:	ADRIAN	Dun and Brad No:		Dun and Brad No:	193006830
Phone:	507-483-2266			Address:	MN , United States
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned				Phone:	
Email:	r.bullerman@isd511.net	Facility ID:	7876	Email:	
Subject to EPCRA Section 312 (Annual Inventory)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Subject to Section 112r of Clean Air Act (CAA)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
RMP Facility ID:					
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
TRI Facility ID:					
Mailing Address				Facility Emergency Planning Coordinator	
Company Name:	ADRIAN PUBLIC SCHOOL			Name:	
Attention:	ROGER GRAFF			Title:	
Street Address 1:	410 INDIANA AVE			Phone:	
Street Address 2:	PO BOX 40			24 Hr.Phone:	
City:	ADRIAN	State:	MN	Email:	
Zip:	56110	Phone:	507-483-2266		
Country:	United States				
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
Mike Cook	Custodian	507-370-0677	507-370-0677	m.cook@isd511.net	
Roger Graff	Superintend of School	507-483-2266	507-449-4518	r.graff@isd511.net	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 3, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments	
Roger Graff, Superintendent		1/25/2019 10:53:05 AM	507-290-0666	Roger Graff	
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	
				<input type="checkbox"/> Site Plan	
				<input checked="" type="checkbox"/> Site Coordinate Abbreviations	
				<input type="checkbox"/> Other Safeguard measures	
				<input type="checkbox"/> Facility Emergency Response Plan	

Tier II Emergency and Hazardous Chemical Inventory

Facility/Site Name: ADRIAN PUBLIC SCHOOL ERC ID: 530050013

Reporting Period From January 1, 2018 to December 31, 2018

Chemical Description	Physical Hazards	Health Hazards					
Chemical ID: 560602 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-30-2 Trade Secret: <input type="checkbox"/> Chemical Name: FUEL OIL #2 EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input checked="" type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)					
Inventory	Storage Codes & Location						
Max Daily Amt (lbs): 20000 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 18000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Lat/Long	Max Amt At Location(lbs)
	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	SOUTH OF H.S.		43.632853/-95.936089	
	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	SOUTH OF H.S.		43.632853/-95.936089	
	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	WEST OF ELEMENTARY		43.632853/-95.936089	

Tier II Emergency and Hazardous Chemical Inventory

Facility/Site Name: ADRIAN PUBLIC SCHOOL ERC ID: 530050013

Reporting Period From January 1, 2018 to December 31, 2018

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million